

SECTION 1 SCOPE OF WORK AND SPECIFICATIONS

1.1 DESCRIPTION

It is the intent of these specifications to describe One Ford F650 XL Medium duty, 4x2 Straight Frame 2026 model, new, unused, Dual Rear Wheel, four door SuperCab, 26,000GVW Truck Chassis. It is intended that the trucks be of conventional cab design w/forward tilt hood. Ford Code X6D

1.2 SPECIFICATIONS

A. Base Vehicle

1. (X6D) Base Vehicle Price

COMPLY _____ EXCEPTION _____

B. Engine

1. (99X) 6.7L Power Stroke V8 Turbo Diesel - 330 HP @ 2600 RPM Includes Engine Exhaust Brake and manual regen capability. Torque: 750 ft.lbs. @ 1500 rpm. Governed RPM: 3400
2. (425) 50-State Emissions
3. (98R) Active Regen Control, Allows Driver to Inhibit Automatic Regen until Regen can be performed in a Safe location
4. (917) Speed Limit - 70mph

COMPLY _____ EXCEPTION _____

C. Transmission

1. (44D) Ford TorqShift HD 10-Speed Automatic - with PTO Provision

COMPLY _____ EXCEPTION _____

D. Front Wheels & Tires

1. (64D) Wheels, Front 19.5x7.5 Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides
2. (TGK) Tires, Front Two 245/70R19.5H Michelin AGILIS HDZ (619 rev/mile)

COMPLY _____ EXCEPTION _____

E. Rear Wheels & Tires

1. (66D) Wheels, Rear 19.5x7.5 Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides
2. (RGK) Tires, Rear Four 245/70R19.5H Michelin AGILIS HDZ (619 rev/mile)

COMPLY _____ EXCEPTION _____

F. Brakes

1. (67A) Air Brakes (4 WHEEL DRUM) - Straight Truck w/Traction Control, Meritor Q-Plus with ABS, Bendix Anti-Lock Brake System, 4-channel. Includes 15" x 4" front brakes, 16.5" x 7" rear pads, dual direct reading air pressure gauges, brake lines color coded nylon, Bendix 13.2 CFM capacity air compressor, instrument panel mounted yellow knob parking brake control valve, automatic slack adjusters front and rear, two rear spring parking air brake chambers mounted on front of rear axle, three drain valves and two air tanks (Reference Body Builders Book for location). Rear brake size and components dependent upon axle selection. Uses existing ABS system to minimize wheel slipping during acceleration. Usage determined by the air brake package selected. (Not recommended with Hi-Rail Train Systems). Deletes hand operated park brake lever. Includes: - Air Dryer, Bendix AD/IS w/Heater Mounted left frame rail (for Hydraulic brake diesel applications that include air suspension or standalone engine air compressor).
2. (62D) Air Dryer, Bendix AD/IS w/Heater Mounted left frame rail (for Hydraulic brake diesel applications that include air suspension or standalone engine air compressor).
3. (98C) Final Upfit Center of Gravity -Medium CG (48" to 58" FINAL Center of Gravity)- With MY23 having Electronic Stability Control Standard. When air brakes are selected, the "final upfit center of gravity (CG)" must be selected by dealer when ordering. If the final CG is not known, use the ESC delete (18A) feature. Where the final upfit CG is known, and the unit requires ESC for other features (such as Driver Assist Technology) select the appropriate CG value range when ordering air brake during the specing process. Call TRKLINE (877-875-5463) with any questions.

COMPLY _____ EXCEPTION _____

G. Front Axle and Suspension

1. (43A) 8,500 lb. Cap. Non-Driving - Dana D-850F
2. (61B) Taper-Leaf Springs, Parabolic - 8,500 lb. Cap- 2-leaf, 62" x 3.15". Also includes, standard duty, dual, double acting shock absorbers
3. (15S) Front Stabilizer Bar
4. (60A) Lube, Front Axle, EmGard 50W, Synthetic Oil

COMPLY _____ EXCEPTION _____

H. Rear Axle and Suspension

1. (472) 17,500 lb. Single-Speed - Dana S17-140, Single reduction with Gentech Quiet Gears and 190 wheel ends. NOTE: When specifying an axle ratio, check performance guidelines for startability and gradeability.
2. (68M) Multi-Leaf Springs - 19,000 lb. Cap, 11-leaf. Includes 2,000 lb auxiliary springs for load stabilization.
3. (961) Shock Absorbers, Rear – Double Acting
4. (607) Lube, Rear Axle, EmGard 75W-90, Synthetic Oil
5. (X5D) 5.57 Axle Ratio- PRNDM/RNDM determined by Rear Axle Ratio and Tire Size.

COMPLY _____ EXCEPTION _____

I. Wheelbase

1. (203WB) 203" Wheelbase/108" CA/70" AF/312" OAL

COMPLY _____ EXCEPTION _____

J. Frame

1. (536) Single Channel - Straight 'C' 14.18 SM, 120,000 PSI- 1,701,600 RBM. Heat treated alloy steel; 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm).
2. (765) Bumper, Front - Full Width, Chrome Plated Steel - (Included in (90E) Exterior Appearance Group)
3. (86C) Chrome Grille Surround - (Included in (90E) Exterior Appearance Group)

COMPLY _____ EXCEPTION _____

K. Exhaust

1. (91D) Under Cab, Vertical Outlet, Right Side, Switchback-Style - Intrudes 2" into clean CA- Single, horizontal muffler, right side under cab outside of frame rail with vertical exhaust passenger side rear corner with heat shield and turnout exit.

COMPLY _____ EXCEPTION _____

L. Fuel Tank

1. (65E) Fuel Tank - LH 65 Gallon Rectangular – Aluminum

COMPLY _____ EXCEPTION _____

M. Electrical / Alternator / Battery

1. (17D) Dual Heavy Duty Alternators – 357 Amp Capacity - 200 & 157 amp Denso SC5/SC2
2. (55M) Jump Start Stud - Remote Mounted

3. (63D) Battery - Three 900 CCA, 2700 Total, Includes Steel Battery Box 12V Motorcraft
4. (59C) Body Builder Wiring - At End of Frame, Combined - (ILO Standard - Back of Cab Combined) Includes sealed connectors for 2 ground circuits, with combined left/stop, combined right/stop, stop lamps, back up lamps. Also includes 2 additional pass through wires to cab.
5. (17M) Back-Up Alarm - Electric, 102 dBA
6. (86M) Upfitter Interface Module
7. (16V) Voltmeter- Available in message center.

COMPLY _____ EXCEPTION _____

N. Seats

1. (88Y) 40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold-Down Console – Vinyl
2. (87B) 60/40 Rear Bench Seat w/Bolster and Flip-Up Cushion Trim will match selected driver seat material.

COMPLY _____ EXCEPTION _____

O. Cab Interior

1. (600A) Preferred Equipment Package 600A- Includes: Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL Seals, Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL Seals, Manual Regen Initiation - Driver Interface in Message Center, Engine Exhaust Brake, Lights - Roof Marker/Clearance - Amber Lenses, 5 Lights, Tow Hooks, Front (2) - Frame-Mounted, Painted Black- Four Body Builder Switches - Mounted in Center Instrument Panel With connector access located in engine compartment. Amperages vary by switch: 10, 15, 25, 25, Floor Covering - Black Vinyl, Intelligent Oil Life Monitor, Steering Column - Tilt / Telescoping, Steering Wheel - Black PVC w/Integral Cruise Control Switches includes Audio Controls
2. (61M) Rear View Camera w/Mirror Display
3. (90A) Appearance Group Includes front-mounted overhead console with dual sunglass bins and integral front map reading lights. Includes: Chrome Trimmed Air Registers w/Positive Shut-Off, 60/40 Rear Bench Seat w/Bolster and Flip-Up Cushion, Trim will match selected driver seat material. Power Equipment Group - (Included in (90A) Appearance Group) Includes power front side windows, manual rear side windows, power door locks, door trim panel and passive anti-theft system. SecuriLock Passive Anti-Theft System The SecuriLock Passive Anti-Theft System is designed to help prevent the engine from being started unless a coded key, programmed to the vehicle, is used. It helps protect against drive-away theft through an electronically coded ignition key, its electronically coded ignition key features billions of possible codes to start the vehicle and is not compatible with non-OEM aftermarket remote start systems. Remote Keyless Entry w/2 Key Fobs

4. (90P) Power Equipment Group - (Included in (90A) Appearance Group)
5. (55P) 110 A/C Outlet - in Lower Center Finish Panel
6. (588) Radio: AM/FM Stereo w/2 Speakers, USB input, Clock Display and Bluetooth
7. (85A) SecuriLock Passive Anti-Theft System

COMPLY _____ EXCEPTION _____

P. Cab Exterior

1. (90E) Exterior Appearance Group- Bumper, Front - Full Width, Chrome Plated Steel - (Included in (90E) Exterior Appearance Group) - Chromed Fender Badge- Chrome Grille Surround - (Included in (90E) Exterior Appearance Group)
2. (59A) Horn, Air - Black, Single Trumpet
3. (54K) Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width w/Chrome Cap Integral spot mirror, sail type

COMPLY _____ EXCEPTION _____

Q. Miscellaneous

1. (PAINT) Paint Type – Environmentally Friendly, "3 - Wet System"

COMPLY _____ EXCEPTION _____

R. Fleet Options

1. (19F) Fire/Rescue Prep Pkg w/EPA Special Emission
2. (87S) Fleet Safety Kit

COMPLY _____ EXCEPTION _____

S. Exterior Color

1. (PQ_02) Race Red

COMPLY _____ EXCEPTION _____

T. Interior Color

1. (E_01) Gray

COMPLY _____ EXCEPTION _____

BID FORM

Bid Submission

York County is not exempt from paying SC sales tax. Bidders outside of SC should provide sales tax pricing in their Bid. If a firm located outside of SC is the successful Bidder then York County will pay the sales tax directly to the State of South Carolina.

QUANTITY	ITEM	NOTES	PRICE
1 each	One, new, unused Ford F650 XL Medium Duty 2026 model, Dual Rear Wheel, Super Cab, 26,000GVW Truck Chassis		
SC SALES TAX			
DELIVERY FEE			
GRAND TOTAL			

Acknowledgement of Addenda

Bidder hereby acknowledges receipt of all Addenda through and including:

Addendum No. _____, dated _____.
Addendum No. _____, dated _____.
Addendum No. _____, dated _____.

QUESTIONNAIRE

2.6

(To be completed and returned with bid)

1. Make: _____
2. Model: _____
3. Body style: _____
4. GVW: _____
5. Wheelbase: _____ Inches
6. Cab to Axle: _____ Inches
7. Horsepower: _____

8. # Cylinders: _____
9. Engine: CID: _____ Liters: _____
10. Transmission: Make: _____ Seed: _____ Type: _____
11. Battery rating: (amp) _____ Cold cranking amps: _____
12. Tire: Size: _____ X _____, _____ Ply
13. Wheels: _____ Alloy _____ Steel _____ Other _____
14. Length of body: _____
15. Brakes: _____
16. List Standard Interior Color(s) Available:

- A. _____
- B. _____
- C. _____
- D. _____
- E. _____
- F. _____

17. Exceptions to specifications:

18. Service Center:

Location: _____

Address: _____

City: _____ State: _____ Zip: _____

Phone Number: _____

19. Delivery time: _____ days.

Signature Page - OFFERORS MUST COMPLETE AND SIGN THE FORM BELOW

The submittal must be signed by an authorized representative of the Offeror accepting all terms and conditions contained in this document and any addenda. Modifying the terms and conditions of this solicitation may result in your response being rejected.

COMPANY NAME

FEDERAL TAX ID NUMBER

COMPANY ADDRESS

CITY, STATE, ZIP+4

PAYMENT/REMITTANCE ADDRESS

CITY, STATE, ZIP+4

EMAIL ADDRESS

COMPANY TELEPHONE

PRINT NAME

TITLE

AUTHORIZED SIGNATURE

DATE

Minority Status

- _____ Not Minority Owned
- _____ African American Male
- _____ Caucasian Female
- _____ African American Female
- _____ Aleut
- _____ Eskimo
- _____ East Indian
- _____ Native American
- _____ Asian
- _____ Other (Please Explain)

Request for Taxpayer Identification Number and Certification

Give Form to the
requester. Do not
send to the IRS.

► Go to www.irs.gov/FormW9 for instructions and the latest information.

Print or type.
See Specific Instructions on page 3.

1 Name (as shown on your income tax return). Name is required on this line; do not leave this line blank.	
2 Business name/disregarded entity name, if different from above	
3 Check appropriate box for federal tax classification of the person whose name is entered on line 1. Check only one of the following seven boxes. <input type="checkbox"/> Individual/sole proprietor or single-member LLC <input type="checkbox"/> Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=Partnership) ► _____ Note: Check the appropriate box in the line above for the tax classification of the single-member owner. Do not check LLC if the LLC is classified as a single-member LLC that is disregarded from the owner unless the owner of the LLC is another LLC that is not disregarded from the owner for U.S. federal tax purposes. Otherwise, a single-member LLC that is disregarded from the owner should check the appropriate box for the tax classification of its owner. <input type="checkbox"/> Other (see instructions) ► _____	4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3): Exempt payee code (if any) _____ Exemption from FATCA reporting code (if any) _____ <small>(Applies to accounts maintained outside the U.S.)</small>
5 Address (number, street, and apt. or suite no.) See instructions.	Requester's name and address (optional)
6 City, state, and ZIP code	
7 List account number(s) here (optional)	

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid backup withholding. For individuals, this is generally your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the instructions for Part I, later. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN*, later.

Note: If the account is in more than one name, see the instructions for line 1. Also see *What Name and Number To Give the Requester* for guidelines on whose number to enter.

Social security number	
<div></div>	<div></div>
or	
Employer identification number	
<div></div>	<div></div>

Part II Certification

Under penalties of perjury, I certify that:

- The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
- I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
- I am a U.S. citizen or other U.S. person (defined below); and
- The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions for Part II, later.

Sign
Here

Signature of
U.S. person ►

Date ►

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Future developments. For the latest information about developments related to Form W-9 and its instructions, such as legislation enacted after they were published, go to www.irs.gov/FormW9.

Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) which may be your social security number (SSN), individual taxpayer identification number (ITIN), adoption taxpayer identification number (ATIN), or employer identification number (EIN), to report on an information return the amount paid to you, or other amount reportable on an information return. Examples of information returns include, but are not limited to, the following.

- Form 1099-INT (interest earned or paid)

- Form 1099-DIV (dividends, including those from stocks or mutual funds)
- Form 1099-MISC (various types of income, prizes, awards, or gross proceeds)
- Form 1099-B (stock or mutual fund sales and certain other transactions by brokers)
- Form 1099-S (proceeds from real estate transactions)
- Form 1099-K (merchant card and third party network transactions)
- Form 1098 (home mortgage interest), 1098-E (student loan interest), 1098-T (tuition)
- Form 1099-C (canceled debt)
- Form 1099-A (acquisition or abandonment of secured property)

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN.

If you do not return Form W-9 to the requester with a TIN, you might be subject to backup withholding. See What is backup withholding, later.