



PROCUREMENT DEPARTMENT

Teria G. Sheffield
Procurement Director

ADDENDUM # 1

Date: 3/3/2026

PROPOSAL ID #3028

RFP #3028

Audio Visual Equipment for Courtrooms and Conference Rooms

THE FOLLOWING INFORMATION SHALL BE INCORPORATED AS PART OF THE ABOVE MENTIONED SOLICITATION; ALL OTHER TERMS AND CONDITIONS SHALL REMAIN THE SAME.

Change 1: Reference Section 1 SCOPE OF WORK AND SPECIFICATIONS;

Add: Jury Assembly Room (attached)

Jury Assembly Room

- Wall mounted flat screen displays
- Hardwired and wireless presentation connections.
 - Wireless connections for presentations cannot require the use of Wi-Fi or require software downloads to a user's device to be utilized.
- Microphones—wireless and wired
- Speakers—overhead
- Touch panels for equipment control
- ADA compliant assisted listening device (ASL compliant assisted listening device (ASL)

3. Jury Assembly Room

Requested Equipment

1. Extron: Transmitters, Receivers, DTP Crosspoint matrix mixers, Audio DSP, Audio Amplifier, Video Distribution Amplifier, Touch Panels, and Recorder
2. Netgear: AV Netgear Managed Switch with Fiber SFP's for uplink into York County's established network at each location
3. Owl: Owl Meeting, Owl 4 with USB-C connectivity
4. Shure: Wireless handheld, wireless podium, wireless lapel
5. Speakers: 70v
6. Middle Atlantic: AV Rack with battery backup unit, lacing bars, motion sensor rack lighting, cooling fans
7. Assisted Listening Device: Transmitter, receivers, docking station, and head phones.

Possible Input Locations within the conference room

1. HDMI input at Podium, via HDMI wall keystone jack
2. HDMI input at Podium, via floor box
3. Wireless input

Location	85" Wall Display	75" Wall Display	60" Wall Display	55" Wall Display	32"-46" Wall Display	Mobile Display on Cart	Projector	Motorized Screen	Attorney Tables	Judge Monitor	Witness Monitor	Clerk Monitor	Jury Box
Bond Court	-	-	1	-	-	-	-	-	-	1	0	-	-
Bond Court Lobby	-	-	-	1	-	-	-	-	-	-	-	-	-
Bond Court Offices	-	-	-	-	2	-	-	-	-	-	-	-	-
Clover Magistrate	-	1	-	-	-	-	-	-	2	1	1	1	1
Jones Assembly Room	1	2	-	-	-	-	-	-	-	-	-	-	-
Government Center 3801	-	-	-	-	-	-	1	1	-	-	-	-	-
Government Center 4200	-	-	-	-	-	-	1	1	-	-	-	-	-
Jury Assembly Room	1	2	-	-	-	1	-	-	-	-	-	-	-
Estimated Project Total	2	5	1	1	2	1	2	2	2	2	1	1	1

Location	Touch Panel	Video Conferencing Input	HDMI Judge Input	HDMI Clerk Input	HDMI Podium Input	USB-C Podium Input	AV Equipment Rack Location	Additional Rack Needed for AV Equipment	Ceiling Type	Floor Box	Wall Plate
Bond Court	2	3	1	-	4	-	In Courtroom	Y-Under Desk, Floor Mount	Drop Tile	-	-
Bond Court Lobby	-	-	-	-	-	-	In Courtroom	Possible Wall Mount	Drop Tile	-	-
Bond Court Offices	-	-	-	-	-	-	In Courtroom	-	Drop Tile	-	-
Clover Magistrate	2	1	1	1	1	-	Network Closet	Y-Wall Mounted	Hard Ceiling	-	-
Jones Assembly Room	1	1	-	-	1	1	Network Closet	Y-4 Post Standing	Drop Tile	1	1
Government Center 3801	1	1	-	-	1	1	Network Closet	N	Drop Tile	1	1
Government Center 4200	1	1	-	-	1	1	Network Closet	Y-Wall Mounted	Drop Tile	-	1
Jury Assembly Room	1	1	-	-	1	1	Network Closet	Y-4 Post Standing	Drop Tile	1	1
Estimated Project Total	8	8	2	1	9	4				3	4

Location	Physical Audio Recorder	Court Reporter 3.5mm Audio Out	Assisted Listening Device	Wired Microphone Totals	Desktop Microphone	Ceiling Microphone	Wall Microphone	Boundary Microphone	Jury Rail Microphone	Wireless Microphone Totals	Wireless Handheld Microphone	Wireless Lapel Microphone	Wireless Gooseneck Podium Microphone
Bond Court	1	1	1	4	1-Judge	2-Choir	-	1	-	-	-	-	-
Bond Court Lobby	-	-	1	2	-	-	1	1	-	-	-	-	-
Bond Court Offices	-	-	-	-	-	-	-	-	-	-	-	-	-
Clover Magistrate	1	1	1	7	2-Judge & Jury	2	-	2	1	3	1	1	1
Jones Assembly Room	1	1	1	-	-	-	-	-	-	3	1	1	1
Government Center 3801	1	1	1	1	-	1-Array	-	-	-	3	1	1	1
Government Center 4200	1	1	1	-	-	-	-	-	-	2	1	1	-
Jury Assembly Room	1	1	1	1	-	1-Array	-	-	-	3	1	1	1
Estimated Project Total	6	6	7	15						14			